

07-13-06

H

07/11/00
10653 U.S. PTO




PTO/SB/05 (4/98)


Approved for use through 09/30/2000. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for nonprovisional applications under 37 C.F.R. § 1.53(b))</small>	Attorney Docket No.	255/087
	First Inventor or Application Identifier	Thomas Flynn
	Title	UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS
	Express Mail Label No.	EL476728625US

APPLICATION ELEMENTS <small>See MPEP chapter 600 concerning utility patent application contents.</small>	ADDRESS TO: Commissioner for Patents Box Patent Application Washington, DC 20231			
<p>1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) <i>(Submit an original and a duplicate for fee processing)</i></p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages <u>15</u>] <i>(preferred arrangement set forth below)</i></p> <ul style="list-style-type: none">- Descriptive title of the invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the invention- Brief Summary of the invention- Brief Description of the Drawings (if filed)- Detailed Description- Claim(s)- Abstract of the Disclosure <p>3. <input checked="" type="checkbox"/> Drawings(s) (35 U.S.C. 113) Total Sheets <u>6</u></p> <p>4. <input checked="" type="checkbox"/> Oath or Declaration [Total Pages <u>2</u>]</p> <ul style="list-style-type: none">a. <input checked="" type="checkbox"/> Newly executed (original or copy)b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d))i. <input type="checkbox"/> DELETION OF INVENTORS Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). <p><small>NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28)</small></p>	<p>5. <input type="checkbox"/> Microfiche Computer Program (Appendix)</p> <p>6. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)</p> <ul style="list-style-type: none">a. <input type="checkbox"/> Computer Readable Copyb. <input type="checkbox"/> Paper Copy (identical to computer copy)c. <input type="checkbox"/> Statement verifying identity of above copies <p>ACCOMPANYING APPLICATION PARTS</p> <p>7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s))</p> <p>8. <input checked="" type="checkbox"/> 37 C.F.R. §3.73(b) Statement <input checked="" type="checkbox"/> Power of Attorney <i>(when there is an assignment)</i></p> <p>9. <input type="checkbox"/> English Translation Document (if applicable)</p> <p>10. <input type="checkbox"/> Information Disclosure Statement (IDS/PTO-1449) <input type="checkbox"/> Copies of IDS Citations</p> <p>11. <input type="checkbox"/> Preliminary Amendment</p> <p>12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503)</p> <p>13. <input checked="" type="checkbox"/> Small Entity Statement(s) (PTO/SB/09-12) <input type="checkbox"/> Statement filed in prior application, status still proper and desired.</p> <p>14. <input type="checkbox"/> Certified copy of Priority Document(s) (if foreign priority is claimed)</p> <p>15. <input type="checkbox"/> Other: _____</p>			
<p>16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:</p> <p><input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No.: <u>1</u></p> <p>Prior application information: Examiner _____ Group/Art Unit _____</p> <p>For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.</p>				
<p>17. CORRESPONDENCE ADDRESS</p> <table border="1"><tr><td><input checked="" type="checkbox"/> Customer Number or Bar Code Label</td><td> 22249 <small>PATENT TRADEMARK OFFICE</small></td><td>LYON & LYON LLP Suite 4700 633 West Fifth Street Los Angeles, California 90071 (213) 489-1600</td></tr></table>		<input checked="" type="checkbox"/> Customer Number or Bar Code Label	 22249 <small>PATENT TRADEMARK OFFICE</small>	LYON & LYON LLP Suite 4700 633 West Fifth Street Los Angeles, California 90071 (213) 489-1600
<input checked="" type="checkbox"/> Customer Number or Bar Code Label	 22249 <small>PATENT TRADEMARK OFFICE</small>	LYON & LYON LLP Suite 4700 633 West Fifth Street Los Angeles, California 90071 (213) 489-1600		

Name (Print/Type)	Kenneth S. Roberts	Reg. No. (Attorney/Agent)	38/283
Signature		Date	July 11, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Applicant or Patentee: Thomas Flynn

Serial or Patent No. : Not Yet Assigned

Filed or Issued: Herewith

For: UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) AND 1.27(b)) – INDEPENDENT INVENTOR

As a below-named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark office with regard to the above-entitled invention described in

- ☒ the specification filed herewith
- ☐ the application serial no. _____, filed _____.
- ☐ patent no. _____, issued _____.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed or licensed or am under an obligation under contract or law to assign, grant, convey or license any rights in the invention is listed below. **NOTE:** Separate verified statement are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

- ☐ no such person, concern or organization.
- ☐ persons, concerns or organizations listed below:

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statement and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Thomas Flynn

Name of Inventor

Signature of Inventor

Date

7/11/00

Applicant or Patentee: James Brian CollinsSerial or Patent No. : Not Yet AssignedFiled or Issued: HerewithFor: UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS

STATEMENT BY A NON-INVENTOR SUPPORTING A CLAIM BY ANOTHER FOR SMALL ENTITY STATUS

I hereby state that I am making this statement to support a claim by

for small entity status, for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the above-entitled invention described in

- ☒ the specification filed herewith
☐ the application serial no. _____, filed _____.
☐ patent no. _____, issued _____.

I hereby state that I would qualify as an independent inventor, as defined in 37 CFR 1.9(c), for purposes of paying fees to the United States Patent and Trademark Office under Sections 41(a) and (b) of Title 35, United States Code, if I had made the above-identified invention.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed or licensed or am under an obligation under contract or law to assign, grant, convey or license any rights in the invention is listed below. **NOTE:** Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

- ☒ no such person, concern or organization.
☐ persons, concerns or organizations listed below:

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____

ADDRESS _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statement and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

July 11, 2000
Date

James Brian Collins
James Brian Collins

345 Carrera Drive, Mill Valley, California 94941
Address of Person Signing

DESCRIPTION

UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS

Field of the Invention

The present invention relates generally to enclosures for electronic
5 equipment and, more particularly, to a micro-cabinet or vault that facilitates the
underground storage of electronic equipment, such as instrumentation for
wireless telecommunications transceiver systems.

Background of the Invention

Public demand for wireless telecommunications has grown at a
10 tremendous rate. An increasing number of people rely on their wireless
phones for an increasing number of uses including voice, messaging, data,
video, and internet access. This enormous public demand has in turn fueled
the need for additional carrier antenna sites to provide expanded wireless
coverage to communities.

15 As the need for additional antenna sites has grown, so too has the
installation restrictions set by many municipalities. Cell phone carriers are
being required to place their transceiver equipment in an aesthetically pleasing
manner. In many municipalities the planning departments are unwilling to
grant permit applications for unsightly tower installations. There is also a
20 growing tendency for many of these municipalities to require even the smallest
of transceiver circuitry units to be placed underground, and for the antennas to

be disguised or stealth.

A partial, but elegant, solution for many carriers has been to disguise their antennas by placing them atop of street light standards or other vertical structures, such as signs, etc., along existing right of ways. However, no such solution is currently available to cell phone carriers for burying their transceiver circuitry.

The units housing the transceiver or transmitting and receiving circuitry for wireless telecommunications systems come in different sizes, and have different power and transceiver configurations. The standard or "macro-cell" unit is a compact base transceiver station ("BTS"), which stores six (6) to eight (8) transceivers or radios requiring 1800 to 2200 watts of power. The smallest unit currently used, primarily where a mono-pole transceiver system is inappropriate, is a "micro-cell", which typically houses one (1) to two (2) transceivers requiring 170 to 600 watts of power. Currently, the vaults available to place the compact BTS's or micro-cells underground tend to be too large to be useful in right of way applications many carriers are looking to implement. Typically these vaults are made of concrete, which for strength and equipment security reasons requires thick walls and considerable overall size. Most existing vaults also include an unattractive heat exchanger that is located above ground or an underground heat exchanger that is quite costly to construct and install, and adds to the overall space needed to bury the vault. Because of their overall size, there are limits as to where these vaults can be placed.

Thus, it would be desirable to provide the wireless telecommunications industry with a vault to house micro-cells underground that is considerably smaller in size without sacrificing strength or security, and which maintains proper climate control for equipment longevity without cost or aesthetically prohibitive heat exchangers.

Summary of the Invention

The present invention is directed to an improved vault or cabinet for storage of electronic equipment, such as wireless telecommunications equipment, underground in public right of ways. In a particularly innovative aspect of the invention, the micro-cabinet of the present invention is formed of a metal weldment, preferably stainless steel, which enables it to be made comparatively small without sacrificing strength or equipment security. Because of its reduced overall size, the micro-cabinet can easily be placed in a public right of way.

In another innovative aspect of the present invention, the micro-cabinet is substantially water-tight with a self contained cooling system and a water evacuation system. The water evacuation system preferably utilizes a one-way pressure actuated exhaust valve that enables the cabinet to be submerged in water with no danger to the enclosed equipment. Alternative cooling systems utilize similar one-way valves or snorkel-type piping running up an existing vertical structure along the public right of way.

In yet another innovation aspect of present invention, the micro-cabinet includes a weight or spring assisted rack for storage of transceiver equipment in the cabinet. The weight or spring assist system provides easy access to the stored electronic equipment when maintenance or repairs are necessary.

5 In a further innovation aspect of present invention, the micro-cabinet is preferably buried in a public right of way adjacent an existing vertical structure such as a light standard or sign. Cabling runs from the transceiver circuitry within the cabinet up along the interior or exterior of the vertical structure to an antenna positioned on top of the vertical structure. Unlike conventional
10 designs, the vault or micro-cabinet of the present invention can be placed in virtually any city, under any existing vertical structure, e.g., a light standard, which are mounted on or near a sidewalk, while being fully disguised, and tending to pose no hazards to pedestrians.

15 Other innovative aspects of the invention include the preceding aspects individually or in combination.

Other aspects and features of the present invention will become apparent from consideration of the following description taken in conjunction with the accompanying drawings.

Brief Description of the Drawings

20 Figure 1 is an isometric view of a micro-cabinet of the present invention.

Figure 2 is a plan view of the micro-cabinet shown in Figure 1 with a rack of the present invention shown in a down position.

Figure 3 is a plan view of the micro-cabinet with the rack shown in a raised position.

Figure 4 is a detail view of an exhaust valve of the present invention.

Figure 5 is a plan view of an antenna site utilizing the micro-cabinet showing a cooling system alternative embodiment.

Figure 6 is an end view of the micro-cabinet showing a cooling system alternative embodiment.

Figure 7 is a plan view of an antenna site utilizing the vault of the present invention.

10 Detailed Description of Preferred Embodiments

Referring to figure 1, a micro-cabinet or vault 10 of the present invention is shown. The micro-cabinet 10 includes an enclosure 12 that is preferably formed as a metal weldment. In a preferred embodiment, the enclosure 12 is a stainless steel weldment. Use of a metal, such as stainless steel, advantageously allows the surrounding earth to aid in the dissipation of heat from the micro-cabinet 10 and, also, advantageously enables the micro-cabinet 10 to be smaller, without sacrificing strength or equipment security. The enclosure is preferably about two (2) feet wide by three (3) feet long by four (4) feet deep, which is extremely small when compared to conventional underground vaults, and, depending on the transceiver configuration of the unit, the cabinet may vary between two (2) and five (5) feet in length. As a

result, the micro-cabinet 10 can advantageously be placed next to or under vertical structures, such as a light standard, in existing public right of ways.

The enclosure 12 includes first and second side plates 13a and 13b, first and second end plates 14a and 14b, a bottom plate 15, and a top plate 16, which are preferably welded together. The top plate 16 includes an equipment access opening through which equipment can be loaded into the cabinet 10 or accessed for repair and maintenance. The opening is closeable by a hatch door 17. The hatch 17 includes a handle 19, a releasably lockable hinge or shock absorber-type hinge to maintain the hatch 17 in a generally vertical position, a security locking system, and a magnetic seal similar to those used on refrigeration units. The micro-cabinet 10, with its metal enclosure 12 and watertight sealable hatch 17, tends to be more watertight than conventional units, and, unlike the concrete walls of conventional vaults, the stainless steel walls of the present invention tend to minimize condensation.

Referring to Figures 1-3, the micro-cabinet 10 of the present invention preferably includes a weight assisted rack 20 mounted inside the enclosure 12 to place telecommunications equipment in the enclosure 12 and to allow easy access by maintenance personnel when repairs are needed. The rack 20 includes four (4) generally vertically positioned posts 21 and eight (8) top 22 and bottom 23 cross members. Four pulley systems 24 are mounted in the enclosure 12 adjacent the top and side plates 16 and 13a-b. Cables 26 pass through the pulleys and attach at opposing ends to a bottom cross member 23 and a weight 25. The weights 25 are of sufficient weight to cause a fully

loaded unrestrained rack 20 to rise out of the enclosure 12 as shown in Figure 3. The weights 25 are preferably 25 to 50 pounds heavier than a fully loaded rack 20, thus requiring a maintenance worker to apply 25 to 50 pounds of offset downward force to position the rack 20 and electronic equipment in the enclosure 12. Hooks or brackets (not shown) are preferably used to maintain the rack 20 in a down position as shown in Figure 2.

In an alternative embodiment, the pulley and weight system is replaced by springs. The springs are of sufficient strength such that a fully loaded unrestrained rack 20 is caused to rise out of the enclosure 12. An offset force of 25 to 50 pounds is necessary to reposition the rack 20 in the enclosure 12.

Referring to Figures 1 and 4, the micro-cabinet 10 of the present invention includes a novel water evacuation system 30 which is capable of venting any pooled water from the cabinet 10. The evacuation system 30 includes a float-type sump pump 32 located in the bottom of the cabinet 10. A pipe 33 extends from the pump 32 to exhaust valves 34 mounted to the top plate 16 of the cabinet 10. The exhaust valve 34 is a commonly known one-way, pressure-type check valve. The one-way valve 34 tends to enable the vault 10 to actually be submerged underwater (a concern to carriers) with no leakage of water into the cabinet 10 and, thus, no danger to the equipment inside.

The valve 34, as shown in detail in Figure 4, is preferably mounted within a recess 38 formed in the top plate 16 of the cabinet 10 such that the valve-seat 35 of the valve 34 is flush with the base of the recess 38. A valve

cap 36 is slidable attached to the valve body 31. The cap 36 includes slide posts 37 that are fixedly attached to the cap 36 and slidably received in stops formed on the interior of the valve body 31. In operation, the cap 35 is forced upwardly by the pressure of the water flowing through the pipe 33. The water exhausts through the holes formed between the slide posts 37. The slide posts 37 are preferably formed of a predetermined length to ensure that the cap 35 is raiseable no further than to a position where it is flush with the top surface of the top plate 16 of the cabinet 10. Optionally, the recess 38 may be covered with a perforated grate 39. Because the cabinet's 10 top surface tends to be smooth or free of protruding parts, the cabinet 10 can be freely placed in and under public right of ways without tending to pose a hazard to pedestrians.

Although the construction of the micro-cabinet 10 advantageously allows the surrounding earth to aid in the dissipation of heat from the cabinet 10, this cooling effect may be insufficient in certain climate conditions or as a result of equipment power consumption. A reduction in humidity or condensation within the cabinet may also be desirable for increased component life even when the temperature within the cabinet is being maintained at a desirable level, i.e., at or below about 100° Fahrenheit. To accommodate these potential cooling requirements, the micro-cabinet, as shown in Figure 1, includes a self contained air conditioning unit 40, such as a Model CR23 air conditioner manufactured by Hoffman, which cools and re-circulates the air within the cabinet 10 without needing to draw in air from the exterior of the cabinet 10. The air conditioner 40, which is shown mounted

internally on end wall 14a, includes a low profile heat exchanger 41 mounted external to the micro-cabinet 10. A protective vent cage 42 is constructed about the heat the exchanger 41 and is attached to the end 14a of the cabinet 10. The cage 42 is formed of metal plating similar to the cabinet 10 with a perforated grate 44 covering the top of the cage 42 to allow air or water to circulate into the cage 42 to cool the heat exchanger 41. The bottom of the cage 42 includes several holes 43 formed therein to allow condensation and water to weep. The upper portion of the cage 42, above the heat exchanger 41, may optionally include a filter-type material that is permeable to water and air and semi-permeable to dirt and debris. Inclusion of such material will tend to keep the heat exchanger 41 clean and working more efficiently.

Alternatively, as shown in Figure 5, the micro-cabinet 10 of the present invention includes a cooling system that utilizes a pump 140 to draw cool air into the cabinet 10 and exhaust hot air out of the cabinet through a pair of vent pipes 141 and 142. The vent pipes would preferable extend along the interior or exterior of an existing light standard or sign pole 50. The ends of the vent pipes 141 and 142 are preferably bent over or hooded to prevent rain from entering the pipes and, thus, the cabinet 10.

Another alternative cooling system 240 for the cabinet 10 of the present invention, as shown in Figure 6, may utilize pop-up valves 234 and 235, which are similar to the exhaust valves 34 of the water evacuation system 30 shown in Figures 1 and 4. An exhaust valve 234 of the cooling system 240 is preferably a one-way, pressure-type pop up valve like valve 34. However, an

intake valve 235 is preferably a one-way, normally closed, solenoid-operated pop up valve. Like valve 34, the valves 234 and 235 of this alternative cooling system 240 are preferably mounted in recesses 238 formed in the top plate 16 and preferably pop-up flush with or below the top surface of the top plate 16.

5 In operation, the solenoid-operate intake valve 235 is caused to open when the air condition unit 241 is activated. The pressure of the exhausting air will cause the exhaust valve 234 to open.

10 In operation, the micro-cabinet 10 of the present invention is preferably buried in a public right of way 60 adjacent an existing vertical structure 50 such as a light standard or sign. Cabling 70 runs from the transceiver circuitry within the enclosure 12 up along the interior or exterior of the vertical structure 50 to an antenna 80 positioned on top of the vertical structure 50. The transceiver equipment is used to transmit and receive signals in a manner understood by those of skill in the art.

15 Unlike conventional designs, the vault or micro-cabinet 10 of the present invention can be placed in virtually any city, under any existing vertical structure, e.g., a light standard, which are mounted on or near a sidewalk, while being fully disguised, and tending to pose no hazards to pedestrians, who might otherwise trip on an exposed unit.

20 While the invention is susceptible to various modifications and alternative forms, a specific example thereof has been shown in the drawings and is herein described in detail. It should be understood, however, that the invention is not to be limited to the particular form disclosed, but to the contrary, the invention is

to cover all modifications, equivalents, and alternatives falling within the spirit
and scope of the appended claims.

OC-57059.1

WHAT IS CLAIMED IS:

1. A cabinet for underground storage of wireless telecommunications equipment, comprising
an enclosure,
5 a self contained air conditioning unit mounted within the enclosure, the air conditioning unit being adapted to cool and circulate the air within the enclosure,
a water evacuation system mounted within the enclosure, the evacuation system including a one-way pressure actuated exhaust valve, and
10 a weight assisted rack assembly for mounting electronic components within the enclosure.
2. The cabinet of claim 1, wherein the enclosure is formed as a metal weldment.
3. The cabinet of claim 2, wherein the metal weldment is
15 constructed from stainless steel.
4. The cabinet of claim 2, wherein the enclosure is about two feet wide, two to five feet long, and four feet deep.
5. The cabinet of claim 1 wherein the air conditioning unit includes a low profile heat exchanger mounted external to the enclosure.
- 20 6. The cabinet of claim 5 further comprising a vent cage surrounding the heat exchanger and attached to the enclosure.
7. The cabinet of claim 6 further comprising filter material mounted in the upper portion of the cage above the heat exchanger.

8. The cabinet of claim 1 wherein the enclosure is submergeable under water without leakage of water into enclosure.

9. The cabinet of claim 1 wherein the evacuation system includes a sump pump mounted in the bottom portion of the enclosure, the sump pump being in fluid communication with the exhaust valve.

10. The cabinet of claim 1 wherein the exhaust valve includes a valve body and a valve cap slidably attached to the valve body, the valve cap being extendable to a position flush with a top surface of the enclosure.

11. The cabinet of claim 1 wherein the rack assembly includes a pulley and weight system connected to the rack, the pulley and weight system including sufficient weight to draw the rack up and rise out of the enclosure.

12. An antenna site for wireless telecommunications comprising a vertical structure such as a light standard or road sign, an antenna mounted atop of the vertical structure, and a cabinet housing transceiver circuitry in electrical communication with the antenna, the cabinet being buried underground, the cabinet including a water evacuation system comprising a one-way pressure actuated valve.

13. The antenna site of claim 12 wherein the cabinet is submergeable under water without leakage of water into the cabinet.

14. The antenna site of claim 12 wherein the evacuation system includes a sump pump mounted in the bottom portion of the cabinet, the sump pump being in fluid communication with the exhaust valve.

15. The antenna site of claim 12 wherein the exhaust valve includes

a valve body and a valve cap slidably attached to the valve body, the valve cap being extendable to a position flush with a top surface of the cabinet.

16. The antenna site of claim 12, wherein the cabinet is formed as a stainless steel weldment.

5 17. The antenna site of claim 16, wherein the cabinet is about two feet wide by two to five feet long by four feet deep.

18. The antenna site of claim 12 wherein the cabinet comprises a self contained air conditioning unit mounted within the cabinet, the air conditioning unit being adapted to cool and circulate the air within the cabinet

10 19. The antenna site of claim 18 wherein the air conditioning unit includes a low profile heat exchanger mounted external to the cabinet.

20. The antenna site of claim 12 further comprising a weight assisted rack assembly for mounting electronic components within the cabinet.

ABSTRACT OF THE DISCLOSURE

An improved micro-cabinet or vault that facilitates the underground storage of electronic equipment, such as instrumentation for wireless telecommunications antenna systems. The micro-cabinet of the present invention is formed of a metal weldment, preferably stainless steel, which enables it to be made comparatively small without sacrificing strength or equipment security. Because of its reduced size, the micro-cabinet can easily be placed in a public right of way. The micro-cabinet is substantially water-tight with a self contained cooling system and a water evacuation system. The water evacuation system preferably utilizes a one-way pressure actuated exhaust valve that enables the cabinet to be submerged in water with no danger to the enclosed equipment. Alternative cooling systems utilize similar one-way valves or snorkel-type piping. The micro-cabinet also includes a weight or spring assisted rack for storage of and easy access to transceiver equipment in the cabinet. The micro-cabinet is preferably buried in a public right of way adjacent an existing vertical structure such as a light standard or sign. Cabling runs from the transceiver circuitry within the cabinet up along the interior or exterior of the vertical structure to an antenna positioned on top of the vertical structure.




FIG 1




FIG 2




FIG 3




FIG 4





FIG 6



**DECLARATION
Utility Application**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS** the specification of which

(Check One)

☒
☐

is attached hereto OR
was filed on _____ as United States Application Serial No. 08/123,234 or
PCT International Application No. _____ and was amended on _____ (if
applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Date of Filing	Priority Claimed	
			Yes	No

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date	Status-Patented, Pending or Abandoned

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, § 1001 and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

201	FULL NAME OF INVENTOR	FIRST Name Thomas	MIDDLE Initial	LAST Name Flynn	
	RESIDENCE & CITIZENSHIP	City Irvine	State or Foreign Country California	Country of Citizenship United States	
	POST OFFICE ADDRESS	248 St. Tropez	City Laguna Beach	State or Country CA	Zip Code 92651
INVENTOR'S SIGNATURE <u>T. Flynn</u>			DATE <u>7/11/00</u>		

202	FULL NAME OF INVENTOR	FIRST Name	MIDDLE Initial	LAST Name	
	RESIDENCE & CITIZENSHIP	City	State or Foreign Country	Country of Citizenship	
	POST OFFICE ADDRESS		City	State or Country	Zip Code
INVENTOR'S SIGNATURE _____			DATE _____		

203	FULL NAME OF INVENTOR	FIRST Name	MIDDLE Initial	LAST Name	
	RESIDENCE & CITIZENSHIP	City	State or Foreign Country	Country of Citizenship	
	POST OFFICE ADDRESS		City	State or Country	Zip Code
INVENTOR'S SIGNATURE _____			DATE _____		

204	FULL NAME OF INVENTOR	FIRST Name	MIDDLE Initial	LAST Name	
	RESIDENCE & CITIZENSHIP	City	State or Foreign Country	Country of Citizenship	
	POST OFFICE ADDRESS		City	State or Country	Zip Code
INVENTOR'S SIGNATURE _____			DATE _____		

205	FULL NAME OF INVENTOR	FIRST Name	MIDDLE Initial	LAST Name	
	RESIDENCE & CITIZENSHIP	City	State or Foreign Country	Country of Citizenship	
	POST OFFICE ADDRESS		City	State or Country	Zip Code
INVENTOR'S SIGNATURE _____			DATE _____		

**POWER OF ATTORNEY
By Assignee**

Thomas Flynn and James Brian Collins, assignee(s) of the application for United States Letters Patent for an improvement in

UNDERGROUND VAULT FOR TELECOMMUNICATIONS MICRO-CELLS
by Thomas Flynn,

the specification of which:

☒ is filed herewith, OR
☐ was filed on _____, having U.S. Patent Application Serial No. _____,

does hereby appoint as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and transact all business in the United States Patent and Trademark Office, and in countries other than the United States, and to do all things necessary or appropriate therefor before any competent International Authorities in connection with any international patent application(s) corresponding to the above-identified application, all of the registered practitioners identified by Customer Number 22249:




LYON & LYON LLP
Suite 4700
633 W. Fifth Street
Los Angeles, CA 90071
(213) 489-1600


Please send all correspondence to the attention of Kenneth S. Roberts, at the above Customer Number, and direct all telephone calls to (949) 567-2300.

I, the undersigned, declare that I have reviewed copies of the documentary evidence establishing chain of title to the patent application identified above from the inventor(s) to the assignee(s), which:

☒ is filed for recordation herewith; or
☐ was recorded at Reel _____, Frame _____; or
☐ has been sent for recordation under separate cover, copy attached herewith.

To the best of the undersigned's knowledge and belief, title is in the assignee(s) identified above. Furthermore, the undersigned is empowered to sign this document on behalf of the assignee(s).

Full Name of Assignee: Thomas Flynn	
Post Office Address: 248 St. Tropez, Laguna Beach, California 92651	
Signature of Declarant or Assignee: 	Date: 7/11/00
Full Name of Declarant If Other Than Assignee:	
Title of Declarant:	
Address of Declarant:	

Full Name of Assignee: James Brian Collins	
Post Office Address: 345 Carrera Drive, Mill Valley, California 94941	
Signature of Declarant or Assignee: 	Date: July 11, 2000
Full Name of Declarant If Other Than Assignee:	
Title of Declarant:	
Address of Declarant:	